

**Nelson  
Mullins**



101 813 832

C O F C

**Nelson Mullins Riley & Scarborough LLP**

Attorneys and Counselors at Law

Atlantic Station / 201 17th Street, NW / Suite 1700 / Atlanta, GA 30363

Tel: 404.322.6000 Fax: 803.255.9831

www.nelsonmullins.com

Kenneth C. Bruley

Registered Patent Attorney

Tel: 404.322.6132

Fax: 803.255.9831

kenn.bruley@nelsonmullins.com

April 9, 2008

ATTN: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RE: U.S. Patent of L. Murray Dallas, et al.  
Entitled: "Casing-Engaging Well Tree Isolation Tool and Method of Use"  
Patent No.: 7,168,495  
Patented: January 30, 2007  
Our Ref: 15912/09040

Dear Sir:

The following are being transmitted herewith:

1. Transmittal sheet with First Class Mailing Certificate  
(original plus 1 copy (2 sheets))
2. Request for Certificate of Correction (1 sheet)
3. Certificate of Correction (1 sheet)
4. Return Postcard

**Certificate**

APR 15 2008

**of Correction**

Please charge any deficiency or credit any overpayment required by this action to our deposit account no. 50-1196, for which purpose an extra copy of this transmittal letter is attached.

Very truly yours,

Kenneth C. Bruley

Reg. No. 51,504

I hereby certify that this paper and any referenced attachment and/or fee are being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: ATTN: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit April 9, 2008

Lisa MacPherson

Typed name of person mailing paper or fee

Signature

RECEIVED-USPTO  
Patent Publication

APR 15 2008

**Nelson  
Mullins**



**Nelson Mullins Riley & Scarborough LLP**

Attorneys and Counselors at Law

Atlantic Station / 201 17th Street, NW / Suite 1700 / Atlanta, GA 30363

Tel: 404.322.6000 Fax: 803.255.9831

www.nelsonmullins.com

Kenneth C. Bruley

Registered Patent Attorney

Tel: 404.322.6132

Fax: 803.255.9831

kenn.bruley@nelsonmullins.com

April 9, 2008

ATTN: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RE: U.S. Patent of L. Murray Dallas, et al.  
Entitled: "Casing-Engaging Well Tree Isolation Tool and Method of Use"  
Patent No.: 7,168,495  
Patented: January 30, 2007  
Our Ref: 15912/09040

Dear Sir:

The following are being transmitted herewith:

1. Transmittal sheet with First Class Mailing Certificate  
(original plus 1 copy (2 sheets))
2. Request for Certificate of Correction (1 sheet)
3. Certificate of Correction (1 sheet)
4. Return Postcard

Please charge any deficiency or credit any overpayment required by this action to our deposit account no. 50-1196, for which purpose an extra copy of this transmittal letter is attached.

Very truly yours,

Kenneth C. Bruley

Reg. No. 51,504

I hereby certify that this paper and any referenced attachment and/or fee are being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: ATTN: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit April 9, 2008

Lisa MacPherson

Typed name of person mailing paper or fee

Signature

RECEIVED-USPTO  
Patent Publication

APR 15 2008



PATENT  
DOCKET NO.: 15912/09040

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of	)	
L. Murray Dallas, et al.	)	Examiner: William Neuder
	)	
Patent No.: 7,168,495	)	Art Unit: 3672
	)	
Patented: January 30, 2007	)	Account No.: 50-1196
	)	
Title: CASING-ENGAGING WELL TREE	)	
ISOLATION TOOL AND METHOD	)	
OF USE	)	

REQUEST FOR CERTIFICATE OF CORRECTION


ATTN: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 C.F.R. § 1.322, Applicants request that a Certificate of Correction be issued in the above-referenced patent. Please correct, in the specification, column 6, line 19, please delete "0.16" and replace with --16--. Also in column 6, line 40, please delete "16" and replace with --16--. Applicants believe these errors occurred during the copying of the patent from the application as originally filed.

Respectfully submitted,

NELSON MULLINS RILEY  
& SCARBOROUGH, L.L.P.

  
\_\_\_\_\_  
Kenneth C. Bruley  
Registration No. 51,504  
1320 Main Street, 17<sup>th</sup> Floor  
Columbia, SC 29201  
(404) 322-6132  
Fax (803) 255-9831

RECEIVED  
PATENT  
APR 15 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,168,495

APPLICATION NO.: 10/813,832

ISSUE DATE : January 30, 2007

INVENTOR(S) : L. Murray Dallas and Bob McGuire

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the specification:

Column 6, line 19, please delete "0.16" and replace with --16--.

Column 6, line 40, please delete "16' " and replace with --16--.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Kenneth C. Bruley, Esq.  
Nelson Mullins Riley & Scarborough, LLP  
1320 Main Street, 17th Floor, Columbia, SC 29201

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES, OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

APR 15 2008